





## GMP - GOOD MANUFACTURING PRACTICE

# CERTIFICATE

No. GMP\_UZ - 04:2025

Is issued on the basis of a completed pharmaceutical inspection conducted in accordance with the regulation on the procedure for conducting inspections for compliance with the requirements of good manufacturing practice (GMP).

# STATE ENTITY "CENTER OF GOOD PRACTICES" APPROVES

located at

str. Cetatea Alba 176, mun. Chisinau MD 2002, Republica Moldova

# COMMERCIAL COMPANY "FLUMED-FARM" LLC

Compliance with the requirements of O'zDSt 2766:2018 – "Good Manufacturing Practice - GMP"

The basis for pharmaceutical inspection was application of **Commercial Company** "FLUMED-FARM" LLC dated 13th February, 2024 for pharmaceutical inspection in accordance with the requirements of O'zDSt 2766:2018 - "Good Manufacturing Practice-GMP".



#### GMP\_UZ-04:2025

## ${\tt GOOD\ MANUFACTURING\ PRACTICE-GMP\ CERTIFICATE\ APPENDIX}$

I. Sterile Products	
1. Aseptically prepared (list of dosage forms	s):
☐ large volume liquids	
☐ small volume liquids	
dispersions	
☐ lyophilisates	
solids	
semi-solids	
other aseptically prepared products:	is shown)
other aseptically prepared products:  (the type of medicine or the type of activity	
other aseptically prepared products:  (the type of medicine or the type of activity  2. Medicines subject to sterilization at the e	
other aseptically prepared products:  (the type of medicine or the type of activity	
other aseptically prepared products:  (the type of medicine or the type of activity  2. Medicines subject to sterilization at the e	
<ul> <li>□ other aseptically prepared products:</li> <li>(the type of medicine or the type of activity</li> <li>2. Medicines subject to sterilization at the element of the large volume liquids</li> </ul>	
<ul> <li>□ other aseptically prepared products:</li> <li>(the type of medicine or the type of activity</li> <li>2. Medicines subject to sterilization at the element of the product of the type of activity</li> <li>□ large volume liquids</li> <li>□ small volume liquids</li> </ul>	
<ul> <li>□ other aseptically prepared products:</li> <li>(the type of medicine or the type of activity</li> <li>2. Medicines subject to sterilization at the element of the large volume liquids</li> <li>□ small volume liquids</li> <li>□ solids and implants</li> </ul>	

(the type of medicine or the type of activity is shown).

### GOOD MANUFACTURING PRACTICE — GMP CERTIFICATE APPENDIX

II. Non-sterile products	
☐ capsules, hard shell	
☐ capsules, soft shell	
☐ chewing gums	
☐ impregnated matrices	
liquids for external use (nasal/oropharyngeal spray, drops, solution,	emulsion)
☐ liquids for internal use	
☐ medicinal gases	
☐ other solid dosage forms	
pressurised preparations	
☐ radionuclide generators	
☐ semi-solids	
☐ suppositories	
☐ tablets	
☐ transdermal patches	
☐ intraruminal devices	
☐ other non-sterile medicinal product:	
	·
(the type of medicine or the type of activity is shown).	
III. Biological medicinal products	
□ blood products	
☐ immunobiological products	
☐ cell therapy products	
gene therapy products	
☐ tissue engineered products	
□ biotechnology products	
☐ animal extracted products	
other biological medicinal products:	
United Mological medicinal products.	
	·

Tel: +99855 902-55-55, E-mail: gxp.duk@ssv.uz

#### GOOD MANUFACTURING PRACTICE — GMP CERTIFICATE APPENDIX

IV.Other products or manufacturing	activity		
☐ herbal products			
☐ homoeopathic products			
☐ other product		- 4	
			·

(the type of medicine or the type of activity is shown).

Based on the information obtained during the pharmaceutical inspection conducted on 06-08.08.2024 and 17.01.2025 (online) the applicant complies with the requirements of the Good Manufacturing Practice - GMP. The certificate is valid if all its pages (both main pages and additional pages) are presented. The validity of this certificate can be checked from the database of the State entity "Center of Good Practices". If the certificate is not provided in the indicated database, it is necessary to contact the working body that issued it.

The GMP\_UZ – 04:2025 Good Manufacturing Practice - GMP certificate validity period from 22.01.2025 to 21.01.2028

Director of the SE "Center of Good Practices"

S.P.

**Dusmatov A.F.** (full name)